

# Editorial Index

## 1987

### Volume 30

#### COVERS

**Cascade Microtech Inc.**

"mm-Wave Wafer Probes Span 0 to 50 GHz," No. 4, p. 177.

**Compact Software Inc.**

"Harmonic Balance Method Handles Non-linear Microwave CAD Problems," No. 10, p. 203.

**EIP Microwave Inc.**

"New Measurement Architecture Advances Vector Network Analysis," No. 5, p. 382.

**Giga-tronics Inc.**

"A New Generation of Microwave Sweepers: Accurate, Stable, Economical," No. 9, p. 236.

**Krytar Inc.**

"Double-Arrow 180° Hybrid Covers 2 to 18 GHz," No. 3, p. 175.

**M/A-Com Microwave Power Devices Inc.**

"500 to 1000 MHz, 1000 W CW, Class AB Linear Transistor Power Amplifier," No. 6, p. 152.

**Mini-Circuits**

"Mixer-Amplifier Combination is Virtually Load Insensitive," No. 12, p. 131.

**MITEQ Inc.**

"Wideband, Ultra Low Noise GaAs FET

Amplifiers Outperform Bipolar Counterparts in Traditional Bipolar Frequency Range," No. 7, p. 137.

**Pacific Monolithics**

"GaAs Real Estate: Making the Most Efficient Use of Semiconductor Surface Area," No. 11, p. 208.

**Texas Instruments Inc.**

"Dual MMICs Deliver 1 W at Ku Band," No. 8, p. 168.

**Varian Microwave Equipment Division**

"Programmable, Broadband Power Amplifiers for Automated Microwave Testing," No. 2, p. 186.

#### GUEST EDITORIALS

**McLarnon, Gerard**

"Microwave Semiconductors: A Perspective on the Future," No. 8, p. 26.

**McQuiddy Jr., David N.**

"The Gathering: 1987 IEEE MTT-S International Microwave Symposium," No. 5, p. 28.

**Reeser, Gilbert A.**

"Test and Measurement in the '90s," No. 6, p. 26.

**Roosild, Sven**

"The Next Step in GaAs Digital Electronics," No. 12, p. 26.

**White, Bruce S.**

"Distribution: A Must for the RF/Microwave Industry," No. 9, p. 26.

#### COMPONENTS AND SUBSYSTEMS

**Ali, Fazal, Robert Benton, Sanjay Moghe and Allen Podell**

"A Family of Highly Versatile GaAs Monolithic LNAs," No. 11, p. 187.

**Bahl, Inder J., Edward L. Griffin and E.R. Schineller**

"Monolithic Limiting Amplifiers for EW Systems," No. 9, p. 205.

**Bains, Devendar S. and Harold Balshem**

"Hybrid Power Amplifier Module for X Band," No. 5, p. 273.

**Bettner, A., B. Hundley and P. Salisbury**

"A Low Cost 'Monolithic-Monolithic' Gain Module," No. 12, p. 109.

- Bui, L.Q., Y.C. Shih and T.N. Ton**  
"mm-Wave Harmonic-Reject Filter," No. 7, p. 119.
- Burke, James D. and Michael P. Frederickson**  
"The Design and Manufacture of a High Reliability RF Ferrite Surface-Mount Component," No. 11, p. 89.
- Carr, Paul H.**  
"Potential Microwave Applications of High Temperature Superconductors," No. 12, p. 91.
- Chilton, R. Hunter**  
"MMIC T/R Modules and Applications," No. 9, p. 131.
- Feuer, M.D., T.Y. Chang, S.C. Shunk and B. Tell**  
"Semiconductor-Gated Heterostructure Transistors with InGaAs Channels," No. 8, p. 151.
- Flowers, David C. and Charles E. Ryan**  
"ECM Transmitters," No. 2, p. 141.
- Fraser, Archibald A.**  
"A Planar Doped Barrier Detector for General-Purpose Applications," No. 5, p. 309.
- Geideman, W.A., T.L. Rasset, T.A. Misko and J.W. Wine**  
"An All GaAs Signal Processing Architecture," No. 9, p. 105.
- Gilmore, Rowan**  
"Concepts in the Design of Frequency Multipliers," No. 3, p. 129.
- Goyal, Ravender and Sarjit S. Bhardj**  
"MMIC: On-Chip Tunability," No. 4, p. 135.
- Goyal, Ravender, Michael P. Gagnon, Jim Gilbert, Jack Birnbaum, Andy Chen and Bob Krawchuk**  
"High Performance 0.5  $\mu$ m Manufacturing Process for MMICs: Yield Perspective," No. 8, p. 143.
- Greenshields, Ian K.**  
"Practical Bonding Techniques for Beam-Lead Diodes," No. 8, p. 119.
- Gregory, Eugene H.**  
"Applicability, Availability and Affordability of GaAs MMICs in Military Systems," No. 3, p. 119.
- Hano, Kazunori and Ken-Ichi Sawamoto**  
"A Bandpass Filter Using Direct-Coupled Quarter-Wavelength Dielectric Resonators," No. 11, p. 141.
- Hemesath, N.B., J.M.H. Bruckner, R.J. Weber and J.P. Young**  
"A Miniature GPS Receiver," No. 9, p. 81.
- Hu Shuhao**  
"The Balun Family," No. 9, p. 227.
- Kim, B., H.M. Macksey, H.Q. Tserng, H.D. Shih and N. Camilleri**  
"mm-Wave Monolithic GaAs Power FET Amplifiers," No. 3, p. 153.
- Kitchen, John**  
"Octave Bandwidth Varactor-Tuned Oscillators," No. 5, p. 347.
- Levy, Ralph**  
"A New Adaptive Filter/IFM Receiver System," No. 11, p. 79.
- Malherbe, J.A.G. and I.E. Losch**  
"Directional Couplers Using Semi-Re-Entrant Coupled Lines," No. 11, p. 121.
- Mazilu, Tiberiu**  
"A Self-Adjusting Waveguide-to-Microstrip Transition," No. 7, p. 133.
- McAvoy, Bruce R.**  
"Microwave Acoustic Devices in Systems," No. 3, p. 36.
- Moore, E.L. and Paul F. Goldsmith**  
"Optiguide: A Modular Approach to Beam Waveguide," No. 11, p. 131.
- Moore, Steven E.**  
"A Dual-Gate MESFET Mixer Using a Simplified Experimental Design Approach," No. 11, p. 195.
- Murphy, R. Allen and James D. Murphy**  
"Performance and Producibility of the GaAs Permeable Base Transistor," No. 7, p. 101.
- Naster, Ronald J., Anthony W. Jacomb-Hood and Mark R. Lang**  
"Affordable MMIC Designs for Phased Arrays," No. 3, p. 141.
- Nguyen, Cam**  
"A 35% Bandwidth Q-to-W-Band Frequency Doubler," No. 9, p. 232.
- Orleansky, Eda, Claude Samson and Mike Havkin**  
"A Broadband Meanderline Twistreflector for the Inverse Cassegrain Antenna," No. 10, p. 185.
- Peot, Mark A.**  
"Electronic Warfare Signal Processing in the Year 2000," No. 2, p. 169.
- Putnam, John and Richard Puente**  
"A Monolithic Image-Rejection Mixer on GaAs Using Lumped Elements," No. 11, p. 107.
- Regan, Robert J., Scott J. Butler, Craig A. Armiento and Frederick C. Rock**  
"Static Induction Transistors: HF to X Band," No. 9, p. 175.
- Riazat, M., S. Bandy and G. Zdasiuk**  
"Coplanar Waveguides for MMICs," No. 6, p. 125.
- Rosenbaum, Mark J.**  
"Correct Timing of Sample-and-Hold System Improves Leveling Performance," No. 5, p. 325.
- Selin, John R.**  
"Continuously Variable L-Band Monolithic GaAs Phase Shifter," No. 9, p. 211.
- Togashi, K., H. Takakuwa and Y. Kato**  
"Reliability of Low Noise Microwave HEMTs Made by MOCVD," No. 4, p. 123.
- Tsui, James B.Y., Mark H. Thompson and William McCormick**  
"Theoretical Limit on Instantaneous Dynamic Range of EW Receivers," No. 1, p. 147.
- Vendelin, George D. and William C. Mueller**  
"Noise Parameters of Microwave Transistors," No. 11, p. 177.
- Wang, W. and R.G. Bosisio**  
"Manufacturing Pass Rate Predictions of an Optimized, 2 to 18 GHz Wilkinson Power Divider in Microstripline," No. 12, p. 115.
- Wisseman, W.R., L.C. Witkowski, G.E. Brehm, R.P. Coats, D.D. Heston, R.D. Hudgens, R.E. Lehmann, H.M. Macksey and H.Q. Tserng**  
"X-Band GaAs Single-Chip T/R Radar Module," No. 9, p. 167.
- Yen, Y.E., D. English, A. Grote, G. Hayashibara, T. Pham, Y.C. Ngan, P. Yen, L. Wandinger and E. Freibergs**  
"W-Band Microstrip Integrated Circuit Transceiver," No. 10, p. 115.
- Zorzy, John**  
"18 GHz Mode-Resonant-Free Standard MIL-C-39012 TNC Connectors," No. 5, p. 365.

#### ANTENNAS

- Daryoush, A., P. Herczfeld, V. Contarino, A. Rosen, Z. Turski and P. Wahi**  
"Optical Beam Control of mm-Wave Phased Array Antennas for Communications," No. 3, p. 97.
- Edward, Brian and Daniel Rees**  
"A Broadband Printed Dipole with Integrated Balun," No. 5, p. 339.
- Herczfeld, P.R. and A.S. Daryoush**  
"Fiber-Optic Feed Network for Large Aperture Phased Array Antennas: System Considerations," No. 8, p. 160.
- Howell, James M.**  
"Phased Arrays for Microwave Landing Systems," No. 1, p. 129.
- Ito, Koichi**  
"Circularly Polarized Printed Arrays Composed of Strip Dipoles and Slots," No. 4, p. 143.
- Jackson, Charles M. and Jeffrey Newman**  
"Lost Cost, Ka-Band Microstrip Patch Monopulse Antenna," No. 7, p. 125.
- Kinzel, Joseph A., Brian J. Edward and Daniel Rees**  
"V-Band Space-Based Phased Arrays," No. 1, p. 89.
- Kisliuk, M. and A. Axelrod**  
"A Broadband Double-Slot Waveguide Antenna," No. 9, p. 223.

**Levine, E., J. Ashkenazy and D. Treves**  
"Printed Dipole Arrays on a Cylinder," No. 3, p. 85.

**Lohrmann, Dieter R.**  
"Multipath Fading Over Sea at 94 GHz," No. 5, p. 381.

**Perkins III, Thomas O.**  
"Active Microstrip Circular Patch Antenna," No. 3, p. 109.

**Steyskal, Hans**  
"Digital Beamforming Antennas: An Introduction," No. 1, p. 107.

**Tang, Raymond and Raymond Brown**  
"Cost Reduction Techniques for Phased Arrays," No. 1, p. 139.

## DESIGN

**Bruckheim, Arthur J. and Philip G. Tomlinson**  
"A Perspective on Complex Radar Waveforms, Arrays and Processing," No. 9, p. 151.

**Dewell, R. and S. Siddiqi**  
"The Calculation of Adjacent Satellite Interference for Direct Broadcast Satellite Systems," No. 10, p. 149.

**Ladbroke, P.H.**  
"GaAs MMICs: Yield Forecasting from Processing Spreads," No. 8, p. 133.

**Lin Lin**  
"Theory and Design of Ferrite Latching Waveguide Junction Circulators," No. 12, p. 124.

**Macchiarella, G., G.B. Stracca and L. Miglioli**  
"Interpolating Formulas for an Equivalent Circuit of Posts in Rectangular Waveguides," No. 5, p. 287.

**Narayanamurti, V.**  
"Artificially Structured Thin-Film Materials and Interfaces," No. 6, p. 97.

**Nortier, J.R., C.A. Van der Neut and D.E. Baker**  
"Tables for the Design of Jaumann Microwave Absorber," No. 9, p. 219.

**Nuthalapati, C.**  
"Role of High Speed FFT in Radar Signal Processing," No. 10, p. 163.

**Nye, J.F. and J.V. Hajnal**  
"A New Way of Looking at Microwave Fields, Theoretically and Experimentally," No. 5, p. 355.

**Podell, Allen, Sanjay Moghe, Doug Lockie and Fazal Ali**  
"GaAs Real Estate: Making the Most Efficient Use of Semiconductor Surface Area," No. 11, p. 208.

**Shurmer, Harold V.**  
"Graphical Approach to Constant Gain Amplifier Design," No. 4, p. 168.

**Somlo, P.I.**  
"Signal Flow Graph Reduction: Computer-Generated Algebraic Formula Using Mason's Non-Touching Loop Rule," No. 1, p. 163.

**Sridhar, S.**  
"Microwave Technology and Materials Research," No. 6, p. 117.

**Wakino, Kikuo, Toshio Nishikawa, Hiroshi Tamura and Takuji Sudo**  
"Dielectric Resonator Materials and their Applications," No. 6, p. 133.

**Xu Yansheng**  
"A Simple Method for Calculation of the Loss Factor of a Dielectric-Loaded Waveguide," No. 11, p. 204.

## CAD/CAD APPLICATIONS

**Bosisio, R.G., W. Wang and S.H. Li**  
"Computer-Aided Evaluation of Manufacturing Tolerances of an Optimized, Wideband Wilkinson Power Divider," No. 4, p. 155.

**Gupta, Ramesh, Thane Smith and John Reynolds**  
"GaAs MMICs: CAD, Modeling and Process Monitoring," No. 8, p. 95.

**LaPlante, Phillip and Jim Borja**  
"An Automated Smith Charting Tool," No. 5, p. 373.

**Raffaelli, Lamberto**  
"A Computer Simulation to Aid in the Design of Microwave GaAs FET Limiting Amplifiers," No. 5, p. 317.

**Rainville, Peter**  
"FORTRAN Program for Impedance Matching to Complex Loads Using Series Transmission Lines," No. 10, p. 195.

**Rohde, Ulrich L.**  
"Harmonic Balance Method Handles Nonlinear Microwave CAD Problems," No. 10, p. 203.

**Staloff, M.**  
"Computer-Aided Design and Analysis of Microwave Transistor Amplifiers," No. 5, p. 253.

## INSTRUMENTS/MEASUREMENTS

**Beers, Ray and Andy Hughes**  
"Measuring VCO Time Varying Frequency Characteristics," No. 11, p. 201.

**Benford, James**  
"High Power Microwave Simulator Development," No. 12, p. 97.

**Jones, Keith E., Eric W. Strid and K. Reed Gleason**  
"mm-Wave Wafer Probes Span 0 to 50 GHz," No. 4, p. 177.

**Lafferty, R.E.**  
"Diode Sensors for the Measurement of True Power," No. 11, p. 161.

**Lohrmann, Dieter R.**  
"A Useful Tool for Developing, Testing, Maintaining or Calibrating mm-Wave Seeker Radars," No. 1, p. 161.

**Martin, Albert R. and Mordechai Dukeman**  
"Measurement of Device Parameters Us-

ing a Symmetric Fixture," No. 5, p. 299.

**Maury Jr., Mario A., Steven L. March and Gary R. Simpson**  
"LRL Calibration of Vector Automatic Network Analyzers," No. 5, p. 387.

**Ross, Patricia Bagley and Bernard D. Geller**  
"A Broadband Microwave Test Fixture," No. 5, p. 233.

**Schwartz, Dave**  
"Automated Phase Synchronization and Control of Multiple Signal Generators," No. 5, p. 331.

**Walters, Eldon**  
"Sampling Oscilloscopes for Economical High-Frequency Measurement," No. 1, p. 155.

**Warwick, Steven**  
"Compact Microwave Synthesizer for a Portable Spectrum Analyzer," No. 8, p. 155.

## MILLIMETER WAVES

**Bui, L.Q., Y.C. Shih and T.N. Ton**  
"mm-Wave Harmonic-Reject Filter," No. 7, p. 119.

**Daryoush, A., P. Herczfeld, V. Contarino, A. Rosen, Z. Turski and P. Wahi**  
"Optical Beam Control of mm-Wave Phased Array Antennas for Communications," No. 3, p. 97.

**Jackson, Charles M. and Jeffrey Newman**  
"Low Cost Ka-Band Microstrip Patch Monopulse Antenna," No. 7, p. 125.

**Lalezari, Farzin and Clifton David Massey**  
"mm-Wave Microstrip Antennas," No. 4, p. 87.

**Murphy, R. Allen and James D. Murphy**  
"Performance and Producibility of the GaAs Permeable Base Transistor," No. 7, p. 101.

**Stern, Richard A., Richard W. Babbitt and John Borowick**  
"A mm-Wave Homogeneous Ferrite Phase Scan Antenna," No. 4, p. 101.

**Yen, Y.E., G. Hayashibara, P. Yen, Y.C. Ngan, H.C. Yen and Y. Saito**  
"W-Band, 20 W Microstrip Integrated Circuit Combiner," No. 4, p. 113.

## SYSTEMS

**Brookner, Eli**  
"Array Radars: An Update, Part I," No. 2, p. 117.

**Brookner, Eli**  
"Array Radars: An Update, Part II," No. 3, p. 167.

**Marinaccio, R.E. and D.B. Bergsma**  
"Self-Protection CM: Present and Future," No. 2, p. 97.

**McBride, Lance and Al Black**  
"Standoff Jamming in the 21st Century: The EC Multiplier," No. 2, p. 155.

**Razban, T., R. Lemaitre, M. Bouthinon and A. Coumes**

"Passive Transponder Card System: Identifying Objects Through Microwave Interrogation," No. 10, p. 135.

**Smith, Harry**

"Jamming Payloads for Unmanned Aerial Vehicles," No. 2, p. 181.

#### SPECIAL REPORTS

**Bierman, Howard**

"Microwave Tubes Reach New Power and Efficiency Levels," No. 2, p. 26.

**Bierman, Howard**

"Test Complexity Eased by Programmability, Menu-Selection Features," No. 6, p. 32.

**Bierman, Howard**

"Transistors Stride to mm-Wave Performance," No. 8, p. 30.

**Bierman, Howard**

"DROs Meet EW and Countermeasure System Needs," No. 10, p. 44.

**Glass, Howard L.**

"Ferrite Films for Microwave and mm-Wave Applications," No. 6, p. 52.

**Gordon, Amy E. and Martin R. Stiglitz**

"Education: Impact on the US Economy," No. 5, p. 196.

**Lees, Clare**

"GaAs in Europe: Cautious Moves Toward Collaboration," No. 8, p. 44.

**March, Steven L.**

"The 1987 IEEE MTT-S International Microwave Symposium," No. 5, p. 34.

**Microwave Journal Staff**

"MMIC Contract Awards," No. 3, p. 26.

**Miller, Amy E. and Martin R. Stiglitz**

"Microwave Component and Device Market: Summary and Forecast," No. 11, p. 32.

**Moynihan, R.L.**

"Phased Arrays for Airborne ECM: The Rest of the Story," No. 1, p. 34.

**Seebach, Rolf W.**

"Industrial Market Research: Is it Worth the Price?," No. 4, p. 26.

**Sharrock, Stuart**

"Changing the Ground Rules: New Forces at Work in the UK Microwave Industry," No. 7, p. 26.

**Sprague, David L.**

"A Forum on RF/Microwave ATE: An Invitation to Comment," No. 10, p. 75.

**Sprague, David L.**

"The 1987 GaAs IC Symposium," No. 12, p. 59.

**Stiglitz, Martin R.**

"The Joint Tactical Information Distribution System," No. 10, p. 26.

**Stiglitz, Martin R.**

"SDI Update 1988," No. 12, p. 32.

**White, Joseph F.**

"Attending the Conference," No. 5, p. 44.

**White, Joseph F.**

"What Happened at the Conference?," No. 7, p. 38.

#### SPECIAL EDITORS' REPORTS

**Howe Jr., Harlan**

"Passive Components: You Can Teach An Old Dog New Tricks," No. 11, p. 26.

**Mailloux, Robert J.**

"Antennas and Radar," No. 1, p. 26.

**Mansfield, John E.**

"Current Trends in the Technology of Electronic Warfare," No. 9, p. 32.

**Westcott, Paul J.**

"Electronic Combat: Now and in the 21st Century," No. 2, p. 46.

#### PRODUCT FEATURES

**Andersen Laboratories Inc.**

"1030/1090 MHz SAW Oscillators for IFF Applications," No. 5, p. 404.

**Anritsu America Inc.**

"100 kHz to 140 GHz Power Meter with Amorphous Thermocouple Sensors," No. 8, p. 181.

**Avantek Inc.**

"6 to 18 GHz GaAs FET/MMIC Amplifiers Provide 1 W Saturated Output," No. 5, p. 395.

**AVX Corp.**

"Improved Processing Technique for Bonding Single-Layer Capacitors," No. 3, p. 186.

**Communication Techniques Inc.**

"Miniature Microwave Frequency Synthesizer Offers Low Phase Noise in 1 to 23 GHz Range," No. 6, p. 158.

**Eaton Corp.**

"High Reliability Stainless Steel Coaxial Cable Assemblies," No. 11, p. 214.

**Fujitsu America Inc.**

"High Electron Mobility Transistor Finds First Application in Telecommunications," No. 5, p. 398.

**Gamma Microwave Inc.**

"Compact, Low Noise MIC VTO," No. 8, p. 185.

**Harris Microwave Semiconductor**

"Multistage, 2 to 6 GHz MMIC Amplifier," No. 10, p. 215.

**Hewlett-Packard Co.**

"Network Analyzer Extends Frequency Coverage to 100 GHz," No. 5, p. 402.

**Hewlett-Packard Co.**

"CAD/CAE Microwave Circuit Design System," No. 11, p. 220.

**Hypres Inc.**

"Cryogenic Picosecond Signal Processor," No. 4, p. 184.

**Iwatsu Instruments Inc.**

"Low Jitter, 12.4 GHz Waveform Analyzer," No. 9, p. 240.

**M/A-Com Advanced Semiconductor Operations**

"GaAs MMIC Voltage-Variable Absorptive Attenuators," No. 8, p. 182.

**M/A-Com Advanced Semiconductor Operations**

"Packaged, Low Loss MMIC Broadband GaAs Switch," No. 10, p. 214.

**M/A-Com Microwave Power Devices Inc.**

"Solid-State Microwave Linear Power Amplifier Delivers 20 W CW Power Output Over the 2.0 to 4.0 GHz Band," No. 3, p. 183.

**Microsource Inc.**

"Integrated YIG Filter/Oscillator Reduces the Size and DC Power of Avionics Systems," No. 3, p. 179.

**Omega Microwave Inc.**

"Design Your Own 6 to 18 GHz Amplifier," No. 10, p. 211.

**Pentek Inc.**

"Reference Frequency Synthesizer Provides Frequency Offsets with Digital Accuracy," No. 9, p. 242.

**Sage Laboratories**

"6.5 to 16.5 GHz Shaped-Amplitude Coupler," No. 12, p. 136.

**Scientific-Atlanta**

"0.1 to 60 GHz Signal Source and Frequency Synthesizer for Wide Spectrum Antenna Measurements," No. 11, p. 218.

**Sciteq Electronics Inc.**

"A Single-Loop Frequency Synthesizer with Direct-Digital Circuitry," No. 12, p. 138.

**Sealectro Corp.**

"DC to 40 GHz Semi-Rigid YIG Cable Assemblies," No. 12, p. 142.

**Test Quality Co.**

"Microwave Amplifier Test Software," No. 6, p. 157.

**Varian Associates Inc.**

"2 to 20 GHz, HEMT-Based GaAs Amplifier," No. 7, p. 154.

**Wavecom Inc.**

"Dual Ultra-Flat Two-Octave Directional Coupler," No. 5, p. 400.

**Wavetek Corp.**

"Benchtop Modular ATE: Eight Instruments in One 7" Chassis," No. 8, p. 179.

**Wavetek Corp.**

"2 GHz Synthesized Signal Generator," No. 9, p. 245.

**Wiltron Co.**

"0.5 to 40 GHz Vector Network Analyzer," No. 7, p. 147.



**Z-Communications Inc.**

"950 to 1450 MHz VCO," No. 10, p. 213.

**THE 1987 MTT-S INTERNATIONAL  
MICROWAVE SYMPOSIUM**

**Technical Program, No. 5, p. 80.**

**Exhibition Plan, No. 5, p. 144.**

**Exhibitor List, No. 5, p. 144.**

**Exhibition Guide, No. 5, p. 148.**

**March, Steven L.**

"The 1987 IEEE MTT-S International Microwave Symposium," No. 5, p. 34.

**McQuiddy Jr., David N.**

"The Gathering: 1987 IEEE MTT-S International Microwave Symposium," No. 5, p. 28.

**White, Joseph F.**

"Attending the Conference," No. 5, p. 44.

**White, Joseph F.**

"What Happened at the Conference?," No. 7, p. 38.

**1986 EUROPEAN MICROWAVE  
CONFERENCE**

**Gardioli, Fred E.**

"16th European Microwave Conference," No. 4, p. 42.

**1987 EUROPEAN MICROWAVE  
CONFERENCE**

**Technical Program, No. 7, p. 46.**

**Exhibitor List, No. 7, p. 70.**

**Exhibition Guide, No. 7, p. 70.**

**OTHER CONFERENCES**

(in chronological order)

**Gardioli, Fred E.**

"Reflections from Budapest," No. 2, p. 52.

**Stiglitz, Martin R.**

"Reflections on the 1986 GaAs IC Symposium and on the First US Conference on GaAs Manufacturing," No. 2, p. 60.

**Shurmer, Harold V.**

"IEEE Meeting on Applications of Digital Techniques in Microwaves," No. 3, p. 46.

**1987 Infrared and mm-Waves Conference,  
No. 8, p. 60.**

**1987 IEEE Ultrasonics Symposium, No. 9,  
p. 44.**

**Sprague, David L.**

"The 1987 GaAs IC Symposium," No. 12, p. 59.

# Author Index

**Ali, Fazal, Robert Benton, Sanjay Moghe and  
Allen Podell**

"A Family of Highly Versatile GaAs Monolithic LNAs," No. 11, p. 187.

**Bahl, Inder J., Edward L. Griffin and E.R.  
Schineller**

"Monolithic Limiting Amplifiers for EW Systems," No. 9, p. 205.

**Bains, Devendar S. and Harold Balshem**

"Hybrid Power Amplifier Module for X Band," No. 5, p. 273.

**Beers, Ray and Andy Hughes**

"Measuring VCO Time Varying Frequency Characteristics," No. 11, p. 201.

**Benford, James**

"High Power Microwave Simulator Development," No. 12, p. 97.

**Bettner, A., B. Hundley and P. Salisbury**

"A Low Cost 'Monolithic-Monolithic' Gain Module," No. 12, p. 109.

**Bierman, Howard**

"Microwave Tubes Reach New Power and Efficiency Levels," No. 2, p. 26.

**Bierman, Howard**

"Test Complexity Eased by Programmability, Menu-Selection Features," No. 6, p. 32.

**Bierman, Howard**

"Transistors Stride to mm-Wave Performance," No. 8, p. 30.

**Bierman, Howard**

"DROs Meet EW and Countermeasure System Needs," No. 10, p. 44.

**Bosisio, R.G., W. Wang and S.H. Li**

"Computer-Aided Evaluation of Manufacturing Tolerances of an Optimized, Wideband Wilkinson Power Divider," No. 4, p. 155.

**Brookner, Eli**

"Array Radars: An Update, Part I," No. 2, p. 117.

**Brookner, Eli**

"Array Radars: An Update, Part II," No. 3, p. 167.

**Bruckheim, Arthur J. and Philip G. Tomlinson**

"A Perspective on Complex Radar Waveforms, Arrays and Processing," No. 9, p. 151.

**Bui, L.Q., Y.C. Shih and T.N. Ton**

"mm-Wave Harmonic-Reject Filter," No. 7, p. 119.

**Burke, James D. and Michael P.  
Fredericksen**

"The Design and Manufacture of a High Reliability RF Ferrite Surface-Mount Component," No. 11, p. 89.

**Carr, Paul H.**

"Potential Microwave Applications of High

Temperature Superconductors," No. 12, p. 91.

**Chilton, R. Hunter**

"MMIC T/R Modules and Applications," No. 9, p. 131.

**Daryoush, A., P. Herczfeld, V. Contarino, A.  
Rosen, Z. Turski and P. Wahi**

"Optical Beam Control of mm-Wave Phased Array Antennas for Communications," No. 3, p. 97.

**Dewell, R. and S. Siddiqi**

"The Calculation of Adjacent Satellite Interference for Direct Broadcast Satellite Systems," No. 10, p. 149.

**Edward, Brian and Daniel Rees**

"A Broadband Printed Dipole with Integrated Balun," No. 5, p. 339.

**Feuer, M.D., T.Y. Chang, S.C. Shunk and B.  
Tell**

"Semiconductor-Gated Heterostructure Transistors with InGaAs Channels," No. 8, p. 151.

**Flowers, David C. and Charles E. Ryan**

"ECM Transmitters," No. 2, p. 141.

**Fraser, Archibald A.**

"A Planar Doped Barrier Detector for

- General-Purpose Applications," No. 5, p. 309.
- Gardiol, Fred E.**  
"Reflections from Budapest," No. 2, p. 52.
- Gardiol, Fred E.**  
"16th European Microwave Conference," No. 4, p. 42.
- Geideman, W.A., T.L. Rasset, T.A. Misko and J.W. Wine**  
"An All GaAs Signal Processing Architecture," No. 9, p. 105.
- Gilmore, Rowan**  
"Concepts in the Design of Frequency Multipliers," No. 3, p. 129.
- Glass, Howard L.**  
"Ferrite Films for Microwave and mm-Wave Applications," No. 6, p. 52.
- Gordon, Amy E. and Martin R. Stiglitz**  
"Education: Impact on the US Economy," No. 5, p. 196.
- Goyal, Ravender and Sarjit S. Bhardj**  
"MMIC: On-Chip Tunability," No. 4, p. 135.
- Goyal, Ravender, Michael P. Gagnon, Jim Gilbert, Jack Birnbaum, Andy Chen and Bob Krawchuk**  
"High Performance 0.5  $\mu$ m Manufacturing Process for MMICs: Yield Perspective," No. 8, p. 143.
- Greenshields, Ian K.**  
"Practical Bonding Techniques for Beam-Lead Diodes," No. 8, p. 119.
- Gregory, Eugene H.**  
"Applicability, Availability and Affordability of GaAs MMICs in Military Systems," No. 3, p. 119.
- Gupta, Ramesh, Thane Smith and John Reynolds**  
"GaAs MMICs: CAD, Modeling and Process Monitoring," No. 8, p. 95.
- Hano, Kazunori and Ken-Ichi Sawamoto**  
"A Bandpass Filter Using Direct-Coupled Quarter-Wavelength Dielectric Resonators," No. 11, p. 141.
- Hemesath, N.B., J.M.H. Bruckner, R.J. Weber and J.P. Young**  
"A Miniature GPS Receiver," No. 9, p. 81.
- Herczfeld, P.R. and A.S. Daryoush**  
"Fiber-Optic Feed Network for Large Aperture Phased Array Antennas: System Considerations," No. 8, p. 160.
- Howe Jr., Harlan**  
"Passive Components: You Can Teach An Old Dog New Tricks," No. 11, p. 26.
- Howell, James M.**  
"Phased Arrays for Microwave Landing Systems," No. 1, p. 129.
- Hu Shuhao**  
"The Balun Family," No. 9, p. 227.
- Ito, Koichi**  
"Circularly Polarized Printed Arrays Composed of Strip Dipoles and Slots," No. 4, p. 143.
- Jackson, Charles M. and Jeffrey Newman**  
"Low Cost, Ka-Band Microstrip Patch Monopulse Antenna," No. 7, p. 125.
- Jones, Keith E., Eric W. Strid and K. Reed Gleason**  
"mm-Wave Wafer Probes Span 0 to 50 GHz," No. 4, p. 177.
- Kim, B., H.M. Macksey, H.Q. Tserng, H.D. Shih and N. Camilleri**  
"mm-Wave Monolithic GaAs Power FET Amplifiers," No. 3, p. 153.
- Kinzel, Joseph A., Brian J. Edward and Daniel Rees**  
"V-Band Space-Based Phased Arrays," No. 1, p. 89.
- Kisliuk, M. and A. Axelrod**  
"A Broadband Double-Slot Waveguide Antenna," No. 9, p. 223.
- Kitchen, John**  
"Octave Bandwidth Varactor-Tuned Oscillators," No. 5, p. 347.
- Ladbroke, P.H.**  
"GaAs MMICs: Yield Forecasting from Processing Spreads," No. 8, p. 133.
- Lafferty, R.E.**  
"Diode Sensors for the Measurement of True Power," No. 11, p. 161.
- Lalezari, Farzin and Clifton David Massey**  
"mm-Wave Microstrip Antennas," No. 4, p. 87.
- LaPlante, Phillip and Jim Borja**  
"An Automated Smith Charting Tool," No. 5, p. 373.
- Lees, Clare**  
"GaAs in Europe: Cautious Moves Toward Collaboration," No. 8, p. 44.
- Levine, E., J. Ashkenazy and D. Treves**  
"Printed Dipole Arrays on a Cylinder," No. 3, p. 85.
- Levy, Ralph**  
"A New Adaptive Filter/IFM Receiver System," No. 11, p. 79.
- Lin Lin**  
"Theory and Design of Ferrite Latching Waveguide Junction Circulators," No. 12, p. 124.
- Lohrmann, Dieter R.**  
"A Useful Tool for Developing, Testing, Maintaining or Calibrating mm-Wave Seeker Radars," No. 1, p. 161.
- Lohrmann, Dieter R.**  
"Multipath Fadings Over Sea at 94 GHz," No. 5, p. 381.
- Macchiarella, G., G.B. Stracca and L. Miglioli**  
"Interpolating Formulas for an Equivalent Circuit of Posts in Rectangular Waveguides," No. 5, p. 287.
- Mailoux, Robert J.**  
"Antennas and Radar," No. 1, p. 26.
- Malherbe, J.A.G. and I.E. Losch**  
"Directional Couplers Using Semi-Re-Entrant Coupled Lines," No. 11, p. 121.
- Mansfield, John E.**  
"Current Trends in the Technology of Electronic Warfare," No. 9, p. 32.
- March, Steven L.**  
"The 1987 IEEE MTT-S International Microwave Symposium," No. 5, p. 34.
- Marinaccio, R.E. and D.B. Bergsma**  
"Self-Protection CM: Present and Future," No. 2, p. 97.
- Martin, Albert R. and Mordechai Dukeman**  
"Measurement of Device Parameters Using a Symmetric Fixture," No. 5, p. 299.
- Maury Jr., Mario A., Steven L. March and Gary R. Simpson**  
"TRL Calibration of Vector Automatic Network Analyzers," No. 5, p. 387.
- Mazilu, Tiberiu**  
"A Self-Adjusting Waveguide-to-Microstrip Transition," No. 7, p. 133.
- McAvoy, Bruce R.**  
"Microwave Acoustic Devices in Systems," No. 3, p. 36.
- McBride, Lance and Al Black**  
"Standoff Jamming in the 21st Century: The EC Multiplier," No. 2, p. 155.
- McLarnon, Gerard**  
"Microwave Semiconductors: A Perspective on the Future," No. 8, p. 26.
- McQuiddy Jr., David N.**  
"The Gathering: 1987 IEEE MTT-S International Microwave Symposium," No. 5, p. 28.
- Microwave Journal Staff**  
"MMIC Contract Awards," No. 3, p. 26.
- Miller, Amy E. and Martin R. Stiglitz**  
"Microwave Component and Device Market: Summary and Forecast," No. 11, p. 32.
- Moore, E.L. and Paul F. Goldsmith**  
"Optiguide: A Modular Approach to Beam Waveguide," No. 11, p. 131.
- Moore, Steven E.**  
"A Dual-Gate MESFET Mixer Using a Simplified Experimental Design Approach," No. 11, p. 195.
- Moynihan, R.L.**  
"Phased Arrays for Airborne ECM: The Rest of the Story," No. 1, p. 34.
- Murphy, R. Allen and James D. Murphy**  
"Performance and Producibility of the GaAs Permeable Base Transistor," No. 7, p. 101.
- Narayanamurti, V.**  
"Artificially Structured Thin-Film Materials and Interfaces," No. 6, p. 97.
- Naster, Ronald J., Anthony W. Jacomb-Hood and Mark R. Lang**  
"Affordable MMIC Designs for Phased Arrays," No. 3, p. 141.
- Nguyen, Cam**  
"A 35% Bandwidth Q-to-W-Band Frequency Doubler," No. 9, p. 232.

- Nortier, J.R., C.A. Van der Neut and D.E. Baker**  
"Tables for the Design of Jaumann Microwave Absorber," No. 9, p. 219.
- Nuthalapati, C.**  
"Role of High Speed FFT in Radar Signal Processing," No. 10, p. 163.
- Nye, J.F. and J.V. Hajnal**  
"A New Way of Looking at Microwave Fields, Theoretically and Experimentally," No. 5, p. 355.
- Orleansky, Eda, Claude Samson and Mike Havkin**  
"A Broadband Meanderline Twistreflector for the Inverse Cassegrain Antenna," No. 10, p. 185.
- Peot, Mark A.**  
"Electronic Warfare Signal Processing in the Year 2000," No. 2, p. 169.
- Perkins III, Thomas O.**  
"Active Microstrip Circular Patch Antenna," No. 3, p. 109.
- Podell, Allen, Sanjay Moghe, Doug Lockie and Fazal Ali**  
"GaAs Real Estate: Making the Most Efficient Use of Semiconductor Surface Area," No. 11, p. 208.
- Putnam, John and Richard Puente**  
"A Monolithic Image-Rejection Mixer on GaAs Using Lumped Elements," No. 11, p. 107.
- Raffaelli, Lamberto**  
"A Computer Simulation to Aid in the Design of Microwave GaAs FET Limiting Amplifiers," No. 5, p. 317.
- Rainville, Peter**  
"FORTRAN Program for Impedance Matching to Complex Loads Using Series Transmission Lines," No. 10, p. 195.
- Razban, T., R. Lemaitre, M. Bouthinon and A. Coumes**  
"Passive Transponder Card System: Identifying Objects Through Microwave Interrogation," No. 10, p. 135.
- Reeser, Gilbert A.**  
"Test and Measurement in the '90s," No. 6, p. 26.
- Regan, Robert J., Scott J. Butler, Craig A. Armento and Frederick C. Rock**  
"Static Induction Transistors: HF to X Band," No. 9, p. 175.
- Riazat, M., S. Bandy and G. Zdziusik**  
"Coplanar Waveguides for MMICs," No. 6, p. 125.
- Rohde, Ulrich L.**  
"Harmonic Balance Method Handles Non-linear Microwave CAD Problems," No. 10, p. 203.
- Roosild, Sven**  
"The Next Step in GaAs Digital Electronics," No. 12, p. 26.
- Rosenbaum, Mark J.**  
"Correct Timing of Sample-and-Hold System Improves Leveling Performance," No. 5, p. 325.
- Ross, Patricia Bagley and Bernard D. Geller**  
"A Broadband Microwave Test Fixture," No. 5, p. 233.
- Schwartz, Dave**  
"Automated Phase Synchronization and Control of Multiple Signal Generators," No. 5, p. 331.
- Seebach, Rolf W.**  
"Industrial Market Research: Is it Worth the Price?," No. 4, p. 26.
- Selin, John R.**  
"Continuously Variable L-Band Monolithic GaAs Phase Shifter," No. 9, p. 211.
- Sharrock, Stuart**  
"Changing the Ground Rules: New Forces at Work in the UK Microwave Industry," No. 7, p. 26.
- Shurmer, Harold V.**  
"IEE Meeting on Applications of Digital Techniques in Microwaves," No. 3, p. 46.
- Shurmer, Harold V.**  
"Graphical Approach to Constant Gain Amplifier Design," No. 4, p. 168.
- Smith, Harry**  
"Jamming Payloads for Unmanned Aerial Vehicles," No. 2, p. 181.
- Somlo, P.I.**  
"Signal Flow Graph Reduction: Computer-Generated Algebraic Formula Using Mason's Non-Touching Loop Rule," No. 1, p. 163.
- Sprague, David L.**  
"A Forum on RF/Microwave ATE: An Invitation to Comment," No. 10, p. 75.
- Sprague, David L.**  
"The 1987 GaAs IC Symposium," No. 12, p. 59.
- Sridhar, S.**  
"Microwave Technology and Materials Research," No. 6, p. 117.
- Staloff, M.**  
"Computer-Aided Design and Analysis of Microwave Transistor Amplifiers," No. 5, p. 253.
- Stern, Richard A., Richard W. Babbitt and John Borowick**  
"A mm-Wave Homogeneous Ferrite Phase Scan Antenna," No. 4, p. 101.
- Steyskal, Hans**  
"Digital Beamforming Antennas: An Introduction," No. 1, p. 107.
- Stiglitz, Martin R.**  
"Reflections on the 1986 GaAs IC Symposium and on the First US Conference on GaAs Manufacturing," No. 2, p. 60.
- Stiglitz, Martin R.**  
"The Joint Tactical Information Distribution System," No. 10, p. 26.
- Stiglitz, Martin R.**  
"SDI Update 1988," No. 12, p. 32.
- Tang, Raymond and Raymond Brown**  
"Cost Reduction Techniques for Phased Arrays," No. 1, p. 139.
- Togashi, K., H. Takakuwa and Y. Kato**  
"Reliability of Low Noise Microwave HEMTs Made by MOCVD," No. 4, p. 123.
- Tsui, James B.Y., Mark H. Thompson and William McCormick**  
"Theoretical Limit on Instantaneous Dynamic Range of EW Receivers," No. 1, p. 147.
- Vendelin, George D. and William C. Mueller**  
"Noise Parameters of Microwave Transistors," No. 11, p. 177.
- Wakino, Kikuo, Toshio Nishikawa, Hiroshi Tamura and Takuji Sudo**  
"Dielectric Resonator Materials and their Applications," No. 6, p. 133.
- Walters, Eldon**  
"Sampling Oscilloscopes for Economical High-Frequency Measurement," No. 1, p. 155.
- Wang, W. and R.G. Boslao**  
"Manufacturing Pass Rate Predictions of an Optimized, 2 to 18 GHz Wilkinson Power Divider in Microstripline," No. 12, p. 115.
- Warwick, Steven**  
"Compact Microwave Synthesizer for a Portable Spectrum Analyzer," No. 8, p. 155.
- Westcott, Paul J.**  
"Electronic Combat: Now and in the 21st Century," No. 2, p. 46.
- White, Bruce S.**  
"Distribution: A Must for the RF/Microwave Industry," No. 9, p. 26.
- White, Joseph F.**  
"Attending the Conference," No. 5, p. 44.
- White, Joseph F.**  
"What Happened at the Conference?," No. 7, p. 38.
- Wisseman, W.R., L.C. Witkowski, G.E. Brehm, R.P. Coats, D.D. Heston, R.D. Hudgens, R.E. Lehmann, H.M. Macksey and H.O. Tserng**  
"X-Band GaAs Single-Chip T/R Radar Module," No. 9, p. 167.
- Xu Yansheng**  
"A Simple Method for Calculation of the Loss Factor of a Dielectric-Loaded Waveguide," No. 11, p. 204.
- Yen, Y.E., G. Hayashibara, P. Yen, Y.C. Ngan, H.C. Yen and Y. Saito**  
"W-Band, 20 W Microstrip Integrated Circuit Combiner," No. 4, p. 113.
- Yen, Y.E., D. English, A. Grote, G. Hayashibara, T. Pham, Y.C. Ngan, P. Yen, L. Wandinger and E. Freibergs**  
"W-Band Microstrip Integrated Circuit Transceiver," No. 10, p. 115.
- Zorzy, John**  
"18 GHz Mode-Resonant-Free Standard MIL-C-39012 TNC Connectors," No. 5, p. 365.